

# SAFETY DATA SHEET

according to the EU directive 91/155/EEC and ISO 11014

## Quadrant Engineering Plastic Products

### 1. Product and company identification

Commercial product name: **NYLATRON® MC901**

Company (manufacturer) : Quadrant EPP Belgium NV  
I. P. Noord - R. Tavernierlaan 2  
B - 8700 Tielt  
Tel. : +32-51-42-35-11  
Fax : +32-51-42-33-00


Emergency telephone number (local):

### 2. Composition/information on ingredients

This product is a chemical substance.

Chemical characterisation (eventually with synonyms): Heat stabilised cast polyamide 6 (heat stabilised cast nylon 6)

Chemical structure: PA 6G



CAS Nr. ('Chemical Abstract Service Registry Number'): PA 6G: 25038-54-4

### 3. Hazards identification

Most important hazards: No critical hazards for men and environment in case of normal storing, handling and usage.

Specific hazards: Not applicable

### 4. First-aid measures

Inhalation: In case the plastic burns and combustion gases are inhaled, immediately leave the room and get medical help.

Skin contact: In case molten material comes in contact with the skin, the skin needs to be rinsed abundantly with cold water. Do not try to remove the molten material. Get medical assistance for the removal of the tacky material and for the medical care of the burn.

### 5. Fire-fighting measures

Suitable extinguishing media: water, foam, dry chemical, CO<sub>2</sub>.

Extinguishing media which must not be used for safety reasons: None.

Special exposure hazards arising from the substance or preparation itself, combustion products or resulting gases:  
See section 10.

Special protective equipment for fire-fighters:

Firemen should wear self-contained breathing apparatus and protective clothing to prevent contact with skin and/or eyes. If exposed to combustion fumes in a high concentration, bring the victim into fresh air. If molten material contacts skin, cool rapidly with cold water and obtain medical attention for removal of adhering material and treatment of the burn.

# SAFETY DATA SHEET

according to the EU directive 91/155/EEC and ISO 11014

## Quadrant Engineering Plastic Products

### 6. Accidental release measures

Personal precautions: Not applicable

Environmental precautions: See section 12 & 13

Methods for cleaning up: See section 13

### 7. Handling and storage

Handling:

Technical measures: Not applicable

Precautions: Not applicable

Safe handling advise: During machining of the stock shapes, evacuate swarf to prevent slipping or tripping hazard.

Storage:

Technical measures: Not applicable

Safe storage conditions: Inert under normal storage conditions

Incompatible products: Not applicable

Safe packaging materials: Not applicable

### 8. Exposure controls / personal protection

Engineering measures to minimize worker exposure: None.

Personal protection:

Respiratory protection: None (except when the product burns - cfr. section 4 & 10 )

Hand protection: Gloves in case of frequent contact with warm material.

Eye protection: Safety goggles during machining.

Industrial hygiene: Follow good standard industrial practice. No special precautions.

### 9. Physical and chemical properties

According to

Appearance: Form: Stock shapes (plate, rod and tube)  
Colour : Blue

Odour: No special odour

Change in physical state: Boiling point/boiling range: Not applicable  
Melting point/melting range: 220°C

Flash point: Not applicable

Vapour pressure: Not applicable

Self ignition temperature: > 400°C

ASTM D 1929

pH: Not applicable

Density ( at 23°C): 1.150 g/cm<sup>3</sup>

ISO 1183

Solubility in water: Negligible

Thermal decomposition: > 300°C

# SAFETY DATA SHEET

according to the EU directive 91/155/EEC and ISO 11014

## Quadrant Engineering Plastic Products

### 10. Stability and reactivity

- Stability: In normal circumstances, the plastic and its chips are stable.
- Conditions to avoid: Temperatures above the melting point/melting range (see section 9)
- Hazardous decomposition products: The main products formed in case of overheating or combustion are apart from harmless H<sub>2</sub> and CO<sub>2</sub>, mainly CO (depending on the amount of available environmental oxygen), NO<sub>x</sub> and traces of HCN.

### 11. Toxicological information

- Acute toxicity: This material is not considered as being harmful to human health.
- Local effects: Not applicable

### 12. Ecological information

- This material does not harm the environment but is not biologically degradable.

### 13. Disposal considerations

- Residual waste: When recycling is impossible, incineration or landfill. Disposal methods must conform to local or other government regulations. This product does not contain cadmium pigments or cadmium stabilizers.
- Contaminated packaging: Not applicable

### 14. Transport information

- International regulations: Not applicable

### 15. Regulatory information

- Classification and labelling according to the relevant EU-directives is not required.

### 16. Other information

- Read the product information brochures before using the Quadrant EPP materials.

#### Note:

All information supplied by or on behalf of Quadrant Engineering Plastic Products in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable, but Quadrant Engineering Plastic Products assumes no liability whatsoever in respect of application, processing or use made of the afore-mentioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the afore-mentioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Quadrant Engineering Plastic Products for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the afore-mentioned information or products by the buyer.

NYLATRON® is a registered trademark of Quadrant