VME-SHARED DATA BUS BUFFERS



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 1 OF 9



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D.	9/15/1999	PAGE 2 OF 9

Scheduler SRAM



Command SRAM



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 3 OF 9



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 4 OF 9



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 5 OF 9

VME64X CONNECTOR P1



VME64X CONNECTOR P2



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 6 OF 9



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 7 OF 9

Board Base Address Selector when geographical addressing not supported



Geographical address pin pullup



INPUT 4A PTC FUSE

-5.0 Voltage Generation



Board Reset



-2.0 Voltage Generation



LED Lights when Scheduler is Running



LED Lights when Scheduler is COUNT5* asserted



LED Lights when Granule is busy (or of DCM busy)



PROBE PINS



Altera Device Configuration Logic



General Purpose (START)



General Purpose (STOP)

LED blinks during VME access



LED blinks on LVL1-Accept Pulse



Configuration Serial EEPROM



Altera JTAG loop



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 8 OF 9





VME64X CONNECTOR P3



VIEWlogic

GRANULE TIMING MODULE

J. MEAD	REV D. 9/15/1999	PAGE 9 OF 9