

## Published Papers by John S. Haggerty

- [1] D. Andrews *et al.*, Observation of three upsilon states, Phys. Rev. Lett. **44**, 1108 (1980).
- [2] D. Andrews *et al.*, Observation of a fourth upsilon state in  $e^+ e^-$  annihilations, Phys. Rev. Lett. **45**, 219 (1980).
- [3] C. Bebek *et al.*, Evidence for new flavor production at the upsilon ( $4s$ ), Phys. Rev. Lett. **46**, 84 (1981).
- [4] CLEO, K. Chadwick *et al.*, Decay of  $b$  flavored hadrons to single muon and dimuon final states, Phys. Rev. Lett. **46**, 88 (1981).
- [5] CLEO, J. J. Mueller *et al.*, A measurement of the branching ratio of upsilon ( $2s$ )  $\rightarrow \pi^+ \pi^-$  upsilon ( $1s$ ), Phys. Rev. Lett. **46**, 1181 (1981).
- [6] A. Brody *et al.*, Decay of  $b$  mesons into charged and neutral kaons, Phys. Rev. Lett. **48**, 1070 (1982).
- [7] CLEO, M. S. Alam *et al.*, Charged particle multiplicities in  $b$  meson decay, Phys. Rev. Lett. **49**, 357 (1982).
- [8] CLEO, D. Andrews *et al.*, The cleo detector, Nucl. Instr. Meth. **211**, 47 (1983).
- [9] CLEO, K. Chadwick *et al.*, Semileptonic decays of  $b$  mesons, Phys. Rev. **D27**, 475 (1983).
- [10] CLEO, A. Chen *et al.*, Ruling out exotic models of  $b$  quark decay, Phys. Lett. **B122**, 317 (1983).
- [11] D. J. Harding, K. J. Turner, I. Gaines, T. F. Droege, and J. S. Haggerty, The m7 - a computer for online track finding, IEEE Trans. Nucl. Sci. **30**, 3907 (1983).
- [12] C. de la Vaissiere *et al.*, Lambda production in  $e^+ e^-$  annihilation at 29-gev, Phys. Rev. Lett. **54**, 2071 (1985).
- [13] M. L. Perl *et al.*, Searches for unstable neutral leptons in low multiplicity events from electron - positron annihilation, Phys. Rev. **D32**, 2859 (1985).

- [14] H. Schellman *et al.*, Measurement of  $k^{+-}$  and  $k^0$  inclusive rates in  $e^+ e^-$  annihilation at 29-gev, Phys. Rev. **D31**, 3013 (1985).
- [15] P. C. Rowson *et al.*, Charged multiplicity of hadronic events containing heavy quark jets, Phys. Rev. Lett. **54**, 2580 (1985).
- [16] C. Matteuzzi *et al.*, An improved upper limit on tau-neutrino mass, Phys. Rev. **D32**, 800 (1985).
- [17] G. J. Feldman *et al.*, Search for monojet production in  $e^+ e^-$  annihilation, Phys. Rev. Lett. **54**, 2289 (1985).
- [18] J. M. Yelton *et al.*, Measurement of the branching fractions  $\tau^- \rightarrow \rho^- \tau^- \text{ neutrino}$  and  $\tau^- \rightarrow k^{*-} \tau^- \text{ neutrino}$ , Phys. Rev. Lett. **56**, 812 (1986).
- [19] P. Burchat *et al.*, Measurement of the branching fraction for  $\tau^- \rightarrow 5 \pi^{+-} (\pi^0) \tau^- \text{ neutrino}$  and an upper limit on the tau-neutrino mass, Phys. Rev. Lett. **54**, 2489 (1985).
- [20] T. Schaad *et al.*, Upper limit of  $b^0$  anti- $b^0$  mixing in  $e^+ e^-$  annihilation at 29-gev, Phys. Lett. **B160**, 188 (1985).
- [21] A. Petersen *et al.*, Inclusive charged particle distribution in nearly three-fold symmetric three jet events at  $e(\text{cm}) = 29\text{-gev}$ , Phys. Rev. Lett. **55**, 1954 (1985).
- [22] J. Boyer *et al.*, Charged meson pair production in gamma gamma interactions, Phys. Rev. Lett. **56**, 207 (1986).
- [23] R. C. Jared *et al.*, Mark-ii endcap calorimeter electronics, IEEE Trans. Nucl. Sci. **33**, 916 (1986).
- [24] M. L. Perl *et al.*, A study of noncollinear two charged particle events produced in 29-gev electron - positron annihilation, Phys. Rev. **D34**, 3321 (1986).
- [25] L. Gladney *et al.*, Measurement of the  $d^0$  and  $d^+$  lifetimes, Phys. Rev. **D34**, 2601 (1986).
- [26] P. Burchat *et al.*, Measurement of the branching fractions of the tau lepton using a tagged sample of tau decays, Phys. Rev. **D35**, 27 (1987).

- [27] W. B. Schmidke *et al.*, Study of the decay  $\tau^- \rightarrow \pi^- \pi^- \pi^+ \tau^-$  neutrino, Phys. Rev. Lett. **57**, 527 (1986).
- [28] P. D. Sheldon *et al.*, A comparison of the particle flow in three jet and radiative two jet events from  $e^+ e^-$  annihilation at  $e(\text{cm}) = 29\text{-gev}$ , Phys. Rev. Lett. **57**, 1398 (1986).
- [29] S. Klein *et al.*, Observation of  $\xi^-$  production in  $e^+ e^-$  annihilation at 29- gev, Phys. Rev. Lett. **58**, 644 (1987).
- [30] K. Riles *et al.*, Limit on the decay  $d_0 \rightarrow e^+ \mu^-$ , Phys. Rev. **D35**, 2914 (1987).
- [31] P. Coteus *et al.*, Production of the charmed strange baryon  $\xi^- c^+$  by neutrons, Phys. Rev. Lett. **59**, 1530 (1987).
- [32] C. Wendt *et al.*, Search for heavy neutrino production at pep, Phys. Rev. Lett. **58**, 1810 (1987).
- [33] K. K. Gan *et al.*, Study of tau decay modes with multiple neutral mesons in the final states, Phys. Rev. Lett. **59**, 411 (1987).
- [34] G. Gidal *et al.*, Observation of a spin 1 resonance in the reaction  $\gamma \gamma^* \rightarrow k_0 k^+ \pi^-$ , Phys. Rev. Lett. **59**, 2016 (1987).
- [35] G. Gidal *et al.*, Observation of spin 1  $f_1(1285)$  in the reaction  $\gamma \gamma^* \rightarrow \eta^0 \pi^+ \pi^-$ , Phys. Rev. Lett. **59**, 2012 (1987).
- [36] A. Petersen *et al.*, Multi - hadronic events at  $e(\text{cm}) = 29\text{-gev}$  and predictions of qcd models from  $e(\text{cm}) = 29\text{-gev}$  to  $e(\text{cm}) = 93\text{-gev}$ , Phys. Rev. **D37**, 1 (1988).
- [37] S. R. Wagner *et al.*, Measurement of the  $d_0$  lifetime from the upgraded mark-ii detector at pep, Phys. Rev. **D36**, 2850 (1987).
- [38] S. Klein *et al.*, Observation of  $\omega^-$  production in  $e^+ e^-$  annihilation at 29-gev, Phys. Rev. Lett. **59**, 2412 (1987).
- [39] K. K. Gan *et al.*, Upper limit on the branching ratio for the decay  $\tau^- \rightarrow \pi^- \eta \tau^-$  neutrino, Phys. Lett. **B197**, 561 (1987).

- [40] D. R. Wood *et al.*, Determination of  $\alpha$ -s from energy-energy correlations in  $e^+ e^-$  annihilation at 29-gev, Phys. Rev. **D37**, 3091 (1988).
- [41] D. Amidei *et al.*, Measurement of the tau lifetime, Phys. Rev. **D37**, 1750 (1988).
- [42] J. P. Cumalat *et al.*, Observation of  $d_0 \rightarrow k_0 \text{ anti-}k_0$ , Phys. Lett. **B210**, 253 (1988).
- [43] M. Diesburg *et al.*, Measurements of the  $\sigma(c)0 - \lambda(c)^+$  and  $\sigma(c)^{++} - \lambda(c)^+$  mass differences, Phys. Rev. Lett. **59**, 2711 (1987).
- [44] M. Atiya, M. Ito, J. Haggerty, C. Ng, and F. W. Sippach, Wave form digitizing at 500-mhz, Nucl. Instrum. Meth. **A279**, 180 (1989).
- [45] M. Atiya, M. Ito, J. Haggerty, C. Ng, and F. W. Sippach, Wave form digitizing at 500-mhz, IEEE Trans. Nucl. Sci. **36**, 813 (1989).
- [46] C. Shipbaugh *et al.*, Production of the  $d(s)^{\pm}$  by high-energy neutrons, Phys. Rev. Lett. **60**, 2117 (1988).
- [47] G. Wormser *et al.*, Observation of  $\psi$  production in  $e^+ e^-$  annihilation at 29- gev, Phys. Rev. **D38**, 1001 (1988).
- [48] G. Wormser *et al.*,  $\eta$  and  $\eta$ -prime production in  $e^+ e^-$  annihilation at 29- gev: Indications for the  $d(s)^{\pm}$  decays into  $\eta \pi^{\pm}$  and  $\eta$ -prime  $\pi^{\pm}$ , Phys. Rev. Lett. **61**, 1057 (1988).
- [49] R. A. Ong *et al.*, Inclusive lepton production in  $e^+ e^-$  annihilation at 29- gev, Phys. Rev. Lett. **60**, 2587 (1988).
- [50] R. Fulton *et al.*, A high resolution wire scanner for micron size profile measurements at the slc, Nucl. Instr. Meth. **A274**, 37 (1989).
- [51] I. Juricic *et al.*, Bose-einstein correlations in  $e^+ e^-$  collisions, Phys. Rev. **D39**, 1 (1989).
- [52] D. Karlen *et al.*, Measurement of single and double radiative low  $q^{*2}$  bhabha scattering at  $e(\text{cm}) = 29\text{-gev}$ , Phys. Rev. **D39**, 1861 (1989).

- [53] R. A. Ong *et al.*, A refined measurement of the b hadron lifetime, Phys. Rev. Lett. **62**, 1236 (1989).
- [54] S. Komamiya *et al.*, Searches for nonliminal higgs bosons from a virtual z decaying into a muon pair at pep, Phys. Rev. **D40**, 721 (1989).
- [55] S. Klein *et al.*, Lambda(c)+ production and semileptonic decay in 29-gev e+ e- annihilation, Phys. Rev. Lett. **62**, 2444 (1989).
- [56] G. S. Abrams *et al.*, The mark-ii detector for the slc, Nucl. Instrum. Meth. **A281**, 55 (1989).
- [57] S. Bethke *et al.*, Studies of jet production rates in e+ e- annihilation at e(cm) = 29-gev, Z. Phys. **C43**, 325 (1989).
- [58] A. Snyder *et al.*, Search for b decay to higgs bosons for higgs boson masses between 50-mev/c\*\*2 and 210-mev/c\*\*2, Phys. Lett. **B229**, 169 (1989).
- [59] A. Weir *et al.*, Upper limits on d+- and b+- decays to two leptons plus pi+- or k+-, Phys. Rev. **D41**, 1384 (1990).
- [60] M. S. Atiya *et al.*, A search for a light higgs boson in the decay k+ → pi+ h, h → mu+ mu-, Phys. Rev. Lett. **63**, 2177 (1989).
- [61] K. Riles *et al.*, Search for a nearly degenerate lepton doublet (l-, l0), Phys. Rev. **D42**, 1 (1990).
- [62] S. R. Wagner *et al.*, Measurement of the b0 meson lifetime, Phys. Rev. Lett. **64**, 1095 (1990).
- [63] D. Y. Wu *et al.*, Radiative tau production and decay, Phys. Rev. **D41**, 2339 (1990).
- [64] A. Weir *et al.*, A reanalysis of b0 - anti-b0 mixing in e+ e- annihilation at 29-gev, Phys. Lett. **B240**, 289 (1990).
- [65] M. S. Atiya *et al.*, Search for the decay k+ → pi+ neutrino anti-neutrino, Phys. Rev. Lett. **64**, 21 (1990).
- [66] M. Petradza *et al.*, Study of four lepton final states in e+ e- interactions at s\*\*(1/2) = 29-gev, Phys. Rev. **D42**, 2171 (1990).

- [67] J. J. G. Cadenas *et al.*, A search for elastic nondiagonal lepton pair production in  $e^+ e^-$  annihilation at  $s^{**}(1/2) = 29\text{-gev}$ , Phys. Rev. Lett. **66**, 1007 (1991).
- [68] MARK-II, C. V. Zanthier *et al.*, Measurement of the total hadronic cross-section in  $e^+ e^-$  annihilation at  $s^{**}(1/2) = 29\text{-gev}$ , Phys. Rev. **D43**, 34 (1991).
- [69] M. S. Atiya *et al.*, Search for the decay  $k^+ \rightarrow \pi^+ \gamma \gamma$ , Phys. Rev. Lett. **65**, 1188 (1990).
- [70] J. Boyer *et al.*, Two photon production of pion pairs, Phys. Rev. **D42**, 1350 (1990).
- [71] F. Butler *et al.*, Measurement of the two photon width of the eta-prime (958), Phys. Rev. **D42**, 1368 (1990).
- [72] M. S. Atiya *et al.*, Upper limit on the branching ratio for the decay  $\pi^0 \rightarrow \text{neutrino anti-neutrino}$ , Phys. Rev. Lett. **66**, 2189 (1991).
- [73] M. S. Atiya *et al.*, A search for  $k^+ \rightarrow \pi^+ \text{neutrino anti-neutrino}$  and other rare  $k^+$  decays, Nucl. Phys. **A527**, 727C (1991).
- [74] Mark-II, T. Barklow *et al.*, A search for the production of the final states  $\tau^+ \tau^- e^+ e^-$ ,  $\tau^+ \tau^- \mu^+ \mu^-$ , and  $\tau^+ \tau^- \pi^+ \pi^-$  in  $e^+ e^-$  collisions at  $s^{**}(1/2) = 29\text{-gev}$ , Phys. Rev. Lett. **68**, 13 (1992).
- [75] M. S. Atiya *et al.*, A detector to search for  $k^+ \rightarrow \pi^+ + \nu \bar{\nu}$ , Nucl. Instrum. Meth. **A321**, 129 (1992).
- [76] M. S. Atiya *et al.*, Search for the decay  $\pi^0 \rightarrow \gamma + x$ , Phys. Rev. Lett. **69**, 733 (1992).
- [77] D. Cords *et al.*, Inclusive charged hadron and  $k^0$  production in two photon interactions, Phys. Lett. **B302**, 341 (1993).
- [78] M. S. Atiya *et al.*, Search for the decay  $k^+ \rightarrow \pi^+ \text{neutrino anti-neutrino}$ , Phys. Rev. Lett. **70**, 2521 (1993).
- [79] M. S. Atiya *et al.*, Search for the decays  $k^+ \rightarrow \pi^+ \text{neutrino anti-neutrino}$  and  $k^+ \rightarrow \pi^+ x^0$  for  $150\text{-mev}/c^{**2} \leq m(x^0) \leq 250\text{-mev}/c^{**2}$ , Phys. Rev. **D48**, 1 (1993).

- [80] S. Adler *et al.*, Search for the decay  $k^+ \rightarrow \pi^+ + \nu\bar{\nu}$ , Phys. Rev. Lett. **76**, 1421 (1996), hep-ex/9510006.
- [81] E. Desmond *et al.*, Analysis, design, and implementation of phenix on-line computing systems software using shlaer-mellor object-oriented analysis and recursive design, Comput. Phys. Commun. **110**, 164 (1998).
- [82] E. Desmond *et al.*, Phenix on-line distributed computing system architecture, Comput. Phys. Commun. **110**, 107 (1998).
- [83] E787, S. Adler *et al.*, Observation of the decay  $k^+ \rightarrow \pi^+ \mu^+ \mu^-$ , Phys. Rev. Lett. **79**, 4756 (1997), hep-ex/9708012.
- [84] E787, P. Kitching *et al.*, Observation of the decay  $k^+ \rightarrow \pi^+ \gamma \gamma$ , Phys. Rev. Lett. **79**, 4079 (1997), hep-ex/9708011.
- [85] E787, S. Adler *et al.*, Evidence for the decay  $k^+ \rightarrow \pi^+ \nu \bar{\nu}$ , Phys. Rev. Lett. **79**, 2204 (1997), hep-ex/9708031.
- [86] E787, S. Adler *et al.*, Upper limit on the decay  $k^+ \rightarrow \pi^+ e^+ \nu \mu^+ \mu^-$ , Phys. Rev. **D58**, 012003 (1998), hep-ex/9802011.
- [87] PHENIX, D. P. Morrison *et al.*, The phenix experiment at rhic, Nucl. Phys. **A638**, 565 (1998), hep-ex/9804004.
- [88] PHENIX, N. Saito *et al.*, Spin physics with the phenix detector system, Nucl. Phys. **A638**, 575 (1998), hep-ex/9805003.
- [89] E787, S. Adler *et al.*, Further search for the decay  $k^+ \rightarrow \pi^+ \nu \bar{\nu}$ , Phys. Rev. Lett. **84**, 3768 (2000), hep-ex/0002015.