

S1B1-ii Full-Model



Station 1 South B1-ii Prototype









By Austin Basye (ACU)
e-mail:
austin.basye@gmail.com or
atb03a@acu.edu

Austin Basye







By Austin Basye (ACU)
e-mail:
austin.basye@gmail.com or
atb03a@acu.edu

Austin Basye



By Austin Basye (ACU)
e-mail:
austin.basye@gmail.com or
atb03a@acu.edu

Austin_Basye

Strip Layout



Station1 - B1-ii - South Readout

NOTE: Readout is comprised of four "rings" of readout strips numbered accordingly. The first and second rings have longer strips at the edges of the half-octant barriers. Each ring has different length and width strips. The full octant is symmetric about the half-octant line.



By Austin Basye (ACU)
e-mail:
austin.basye@gmail.com or
atb03a@acu.edu

Austin Basye

Top Honeycomb Pannel

Top View



Mirror Line

Bottom View



Station1 - B1-ii - South Honeycomb

NOTE: TOP HONEYCOMB PANNEL HAS THE SAME OVERALL DIMENSIONS AND HOLE POSITIONS AS BOTTOM HONEYCOMB PANNEL, THE ONLY DIFFERENCE BETWEEN THE TWO IS THE POSITION OF THE HV SHEILDING BOXES, THE READOUT PORTS, AND THAT THEY ARE C-SUNK FOR 6mm FLATHEAD FROM OPPOSITE SIDES.

Bottom Honeycomp Pannel

Bottom View



Top View



By Austin Basye (ACU)
e-mail:
austin.basye@gmail.com or
atb03a@acu.edu

Austin Basye

Bar 1

Top View Left Side View



Bar 3

Top View Left Side View



Top View Left Side View



Bar 1

Top View Left Side View



Bar 3

Top View Left Side View



Bar 5

Top View Left Side View



Bar 2

Top View Left Side View



By Austin Basye (ACU)
e-mail:
austin.basye@gmail.com or
atb03a@acu.edu

Austin Basye

Bar 4

Top View



Left Side View



Bar 6

Top View



Left Side View



* Bars 4 & 6 are NOT identical, they are mirrored parts. The slots in the middle portion of the bar should always be on top. The slots at each end should be on both sides.

By Austin Basye (ACU)
e-mail:
austin.basye@gmail.com or
atb03a@acu.edu

Austin_Basye